L	Hits	Search Text	DB	Time stamp
Number	2	((@ad<=20001121 or @rlad<=20001121) and	USPAT;	2004/04/06
-		((correctness or consistency) near4	US-PGPUB;	12:27
		check\$5).ab.) and ((instruction or code)	EPO; JPO;	12.27
		adj2 sequence\$1) and ( slot\$1 or	DERWENT;	
		schedul\$4)	IBM TDB	
-	1	((@ad<=20001121 or @rlad<=20001121) and	USPAT;	2003/06/24
		((correctness or consistency) near4	US-PGPUB;	08:37
		check\$5).ab.) and ((instruction or code)	EPO; JPO;	
		adj2 sequence\$1) and 717/\$	DERWENT;	
	0.4		IBM_TDB	0000 (00 (00
-	84	<pre>((insert\$4 or put or plac\$4 or embedd\$3) near4 ( (code or instructions))) same</pre>	USPAT;	2003/06/23
		((idle or no-op or unused or stall\$2)	US-PGPUB; EPO; JPO;	15:28
		adj3 (slot\$1 or space\$1 or portion\$1 or	DERWENT;	
		areas))	IBM TDB	
_	68		USPAT;	2003/06/23
		near4 ( (code or instructions))) same	US-PGPUB;	15:42
		((idle or no-op or unused or stall\$2)	EPO; JPO;	
		adj3 (slot\$1 or space\$1 or portion\$1 or	DERWENT;	
		areas))) and (@ad<=20001121 or	IBM_TDB	
	_	@rlad<=20001121)	,,,a,,,,,,,	2002/06/22
	3	1 , , , ====	USPAT;	2003/06/23
		near4 ( (code or instructions))) same ((idle or no-op or unused or stall\$2)	US-PGPUB; EPO; JPO;	15:32
		adj3 (slot\$1 or space\$1 or portion\$1 or	DERWENT;	
		areas))) and (@ad<=20001121 or	IBM TDB	
		@rlad<=20001121) and 717/\$		
-	37	((unused or idle or spare or stall)adj2	USPAT;	2004/04/05
		(time adj slot\$1) ) and ( (code or	US-PGPUB;	12:06
		instructions) near4 insert\$4)	EPO; JPO;	
			DERWENT;	
		11111	IBM_TDB	2002/06/22
_	1	(((((unused or idle or spare or	USPAT;	2003/06/23
		stall)adj2 (time adj slot\$1) ) and (   (code or instructions) near4 insert\$4))	US-PGPUB; EPO; JPO;	15.45
1		and (@ad<=20001121 or @rlad<=20001121))	DERWENT;	
		or (((((insert\$4 or put or plac\$4 or	IBM TDB	
		embedd\$3) near4 ( (code or		1
		instructions))) same ((idle or no-op or		
	1	unused or stall\$2) adj3 (slot\$1 or		
		space\$1 or portion\$1 or areas))) and		
		(@ad<=20001121 or @rlad<=20001121)) and		
		((((unused or idle or spare or stall)adj2		
		(time adj slot\$1) ) and ((code or instructions) near4 insert\$4)) and	i	
		(@ad<=20001121 or @rlad<=20001121))) and		
		(compil\$4 and (instruction near4		
İ		schedul\$4))		
_	35	(((unused or idle or spare or stall)adj2	USPAT;	2003/06/23
		(time adj slot\$1) ) and ( (code or	US-PGPUB;	15:42
		instructions) near4 insert\$4)) and	EPO; JPO;	
		(@ad<=20001121 or @rlad<=20001121)	DERWENT;	j
			IBM_TDB	
-	728	(insert\$4 adj3 (instructions or code))	USPAT;	2003/06/24
		near5 (slot\$1 or bubble\$1 or area\$1 or portion\$1 or space\$1 or gap\$1 or	US-PGPUB; EPO; JPO;	08:37
	1	portion; or space; or gap; or   interspac; or no-op or void; or	DERWENT;	
		Interspects of no op of votage;	IBM TDB	
_	200	((insert\$4 adj3 (instructions or code))	USPAT;	2003/06/24
		near5 (slot\$1 or bubble\$1 or area\$1 or	US-PGPUB;	08:40
		portion\$1 or space\$1 or gap\$1 or	EPO; JPO;	
		interspac\$3 or no-op or void\$1)) and	DERWENT;	
		((@ad<=20001121 or @rlad<=20001121) and	IBM_TDB	
		(((correctness or consistency) near4		
	1	check\$5) or instrument\$6 or verif\$5 or		
		<pre>consistenc\$4 or validat\$4 or estimat\$4 or apprais\$4))</pre>		
	1	aphrarssall	L	1

((insert\$4 adj3 (instructions or code)) near5 (slot\$1 or bubble\$1 or area\$1 or portion\$1 or space\$1 or gap\$1 or interspac\$3 or no-op or void\$1)) not (((insert\$4 adj3 (instructions or code)) near5 (slot\$1 or bubble\$1 or area\$1 or portion\$1 or space\$1 or gap\$1 or interspac\$3 or no-op or void\$1)) and ((@ad<=20001121 or @rlad<=20001121) and (((correctness or consistency) near4 check\$5) or instrument\$6 or verif\$5 or consistenc\$4 or validat\$4 or estimat\$4 or apprais\$4))) and 717/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24
((insert\$4 adj3 (instructions or code)) near5 (slot\$1 or bubble\$1 or area\$1 or portion\$1 or space\$1 or gap\$1 or interspac\$3 or no-op or void\$1)) not (((insert\$4 adj3 (instructions or code)) near5 (slot\$1 or bubble\$1 or area\$1 or portion\$1 or space\$1 or gap\$1 or interspac\$3 or no-op or void\$1)) and ((@ad<=20001121 or @rlad<=20001121) and (((correctness or consistency) near4 check\$5) or instrument\$6 or verif\$5 or consistenc\$4 or validat\$4 or estimat\$4 or apprais\$4))) not (((insert\$4 adj3 (instructions or code)) near5 (slot\$1 or bubble\$1 or area\$1 or portion\$1 or space\$1 or gap\$1 or interspac\$3 or no-op or void\$1)) not (((insert\$4 adj3 (instructions or code)) near5 (slot\$1 or bubble\$1 or area\$1 or portion\$1 or space\$1 or gap\$1 or interspac\$3 or no-op or void\$1)) and ((@ad<=20001121 or @rlad<=20001121) and (((correctness or consistency) near4 check\$5) or instrument\$6 or verif\$5 or consistenc\$4 or validat\$4 or estimat\$4 or apprais\$4))) and 717/\$) and ((@ad<=20001121 or @rlad<=20001121) and (instruction\$1 near4 ( schedul\$4 or slot\$4 or sequenc\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 08:41
(((insert\$4 adj3 (instructions or code)) near5 (slot\$1 or bubble\$1 or area\$1 or portion\$1 or space\$1 or gap\$1 or interspac\$3 or no-op or void\$1)) not (((insert\$4 adj3 (instructions or code)) near5 (slot\$1 or bubble\$1 or area\$1 or portion\$1 or space\$1 or gap\$1 or interspac\$3 or no-op or void\$1)) and ((@ad<=20001121 or @rlad<=20001121) and (((correctness or consistency) near4 check\$5) or instrument\$6 or verif\$5 or consistenc\$4 or validat\$4 or estimat\$4 or apprais\$4))) not (((insert\$4 adj3 (instructions or code)) near5 (slot\$1 or bubble\$1 or area\$1 or portion\$1 or space\$1 or gap\$1 or interspac\$3 or no-op or void\$1)) not (((insert\$4 adj3 (instructions or code)) near5 (slot\$1 or bubble\$1 or area\$1 or portion\$1 or space\$1 or gap\$1 or interspac\$3 or no-op or void\$1)) and ((@ad<=20001121 or @rlad<=20001121) and ((correctness or consistency) near4 check\$5) or instrument\$6 or verif\$5 or consistenc\$4 or validat\$4 or estimat\$4 or apprais\$4))) and 717/\$) and ((@ad<=20001121 or @rlad<=20001121) and (instruction\$1 near4 ( schedul\$4 or slot\$4 or sequenc\$4))) and (@ad<=20001121) or @rlad<=20001121)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 08:42

near5 (slot\$1 or bubble\$1 or area\$1 or US-PGPUB; 08:43 portion\$1 or space\$1 or gap\$1 or EPO; JPO;	706/24
interspac\$3 or no-op or void\$1)) and DERWENT; ((@ad<=20001121 or @rlad<=20001121) and IBM_TDB (((correctness or consistency) near4	
near5 (slot\$1 or bubble\$1 or area\$1 or US-PGPUB; portion\$1 or space\$1 or gap\$1 or EPO; JPO; interspac\$3 or no-op or void\$1)) not (((insert\$4 adj3 (instructions or code)) IBM_TDB	/06/24 1
near5 (slot\$1 or bubble\$1 or area\$1 or portion\$1 or space\$1 or gap\$1 or interspac\$3 or no-op or void\$1)) and ((@ad<=20001121 or @rlad<=20001121) and (((correctness or consistency) near4 check\$5) or instrument\$6 or verif\$5 or consistenc\$4 or validat\$4 or estimat\$4 or apprais\$4))) and 717/\$) and ((@ad<=20001121 or @rlad<=20001121) and (instruction\$1 near4 ( schedul\$4 or	
slot\$4 or sequenc\$4)))	/06/24 4
near5 (slot\$1 or bubble\$1 or area\$1 or portion\$1 or space\$1 or gap\$1 or interspac\$3 or no-op or void\$1)) and ((@ad<=20001121 or @rlad<=20001121) and (((correctness or consistency) near4 check\$5) or instrument\$6 or verif\$5 or consistenc\$4 or validat\$4 or estimat\$4 or	
apprais\$4))) not (((insert\$4 adj3 (instructions or code)) near5 (slot\$1 or bubble\$1 or area\$1 or portion\$1 or space\$1 or gap\$1 or interspac\$3 or no-op or void\$1)) not (((insert\$4 adj3 (instructions or code)) near5 (slot\$1 or	
bubble\$1 or area\$1 or portion\$1 or space\$1 or gap\$1 or interspac\$3 or no-op or void\$1)) and ((@ad<=20001121 or @rlad<=20001121) and (((correctness or consistency) near4 check\$5) or instrument\$6 or verif\$5 or consistenc\$4 or validat\$4 or estimat\$4 or apprais\$4)))	
and 717/\$) and ((@ad<=20001121 or @rlad<=20001121) and (instruction\$1 near4 ( schedul\$4 or slot\$4 or sequenc\$4)) )) and (@ad<=20001121 or @rlad<=20001121) ) and (instrument\$4 or debug\$4 or (consisten\$3 near3 (verif\$4 or check\$4)))	
	/06/24 6
	/06/24
	/04/06 5
	/06/24 3

-	3	6088525.URPN.	USPAT	2003/06/24
_	24	5581696.URPN.	USPAT	2003/06/24
-	1574	(( (debug or (error adj2 check\$4) or validat\$4 or verif\$6) near3 (code or instructions or hooks) ) same (insert\$4 or plac\$4 or embedd\$4 or intersp\$6) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/24 10:41
-	24	<pre>((( (debug or (error adj2 check\$4) or validat\$4 or verif\$6) near3 (code or instructions or hooks) ) same (insert\$4 or plac\$4 or embedd\$4 or intersp\$6) )) and ((wasted or spare or unused) near3 (cycle\$1 or slot\$1 or time))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 14:47
-	76		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 10:43
-	6	<pre>(((((debug or (error adj2 check\$4) or validat\$4 or verif\$6) near3 (code or instructions or hooks) ) same (insert\$4 or plac\$4 or embedd\$4 or intersp\$6) )) and ((wasted or spare or unused) near3 (cycle\$1 or slot\$1 or time))) and ((((debug or (error adj2 check\$4) or validat\$4 or verif\$6) near3 (code or instructions or hooks) ) same (insert\$4 or plac\$4 or embedd\$4 or intersp\$6))) and ((idle or void or no-op or stall) near3 (instruction\$1 or slot\$1 or areas or cycle\$1 or time or interval)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 10:43
-	367	<pre>((code or instruction\$1) near3 insert\$4) and ((unused or spare or idle ) adj2 (cycle\$1 or slot\$1 or time))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/24
-	26	<pre>(((code or instruction\$1) near3 insert\$4) and ((unused or spare or idle ) adj2 (cycle\$1 or slot\$1 or time)) ) and (spare near3 (time or slot\$1 or slic\$3 or cycle\$1 or space\$1))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/24
-	90	<pre>(((code or instruction\$1) near3 insert\$4) and ((unused or spare or idle ) adj2 (cycle\$1 or slot\$1 or time)) ) and (unused near3 (time or slot\$1 or slic\$3 or cycle\$1 or space\$1))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/24 14:53
-	283	<pre>(((code or instruction\$1) near3 insert\$4) and ((unused or spare or idle ) adj2 (cycle\$1 or slot\$1 or time)) ) and ((idle or stall or void or bubble) near3 (time or slot\$1 or slic\$3 or cycle\$1 or space\$1))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 13:23
-	15	1 2 ' ' '	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 13:25
-	44	I	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 13:25

	126	<pre>((((code or instruction\$1) near3 insert\$4) and ((unused or spare or idle ) adj2 (cycle\$1 or slot\$1 or time)) ) and ((idle or stall or void or bubble) near3 (time or slot\$1 or slic\$3 or cycle\$1 or space\$1))) and (instrumentation or debug\$4 or ((consistenc\$\$ or correctn\$3) same check\$4) or verif\$4)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 13:25
-	15	<pre>(((((code or instruction\$1) near3 insert\$4) and ((unused or spare or idle ) adj2 (cycle\$1 or slot\$1 or time)) ) and (spare near3 (time or slot\$1 or slic\$3 or cycle\$1 or space\$1))) and (instrumentation or debug\$4 or ((consistenc\$\$ or correctn\$3) same check\$4) or verif\$4)) and ((@ad&lt;=20001121))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 14:55
-	14	<pre>((((((code or instruction\$1) near3 insert\$4) and ((unused or spare or idle ) adj2 (cycle\$1 or slot\$1 or time)) ) and ((idle or stall or void or bubble) near3 (time or slot\$1 or slic\$3 or cycle\$1 or space\$1))) and (instrumentation or debug\$4 or ((consistenc\$\$ or correctn\$3) same check\$4) or verif\$4)) and ((@ad&lt;=20001121 or @rlad&lt;=20001121))) and 717/\$</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 13:38
-	43	(optimi\$5 near3 (use or manag\$6 or exploit\$5 or control\$5)) same ((dead or unused or idle or spare) adj3 (space or time or slot\$1 or cycle\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 15:19
	18	<pre>((((((code or instruction\$1) near3 insert\$4) and ((unused or spare or idle ) adj2 (cycle\$1 or slot\$1 or time)) ) and (unused near3 (time or slot\$1 or slic\$3 or cycle\$1 or space\$1))) and (instrumentation or debug\$4 or ((consistenc\$\$ or correctn\$3) same check\$4) or verif\$4)) adn ((((code or instruction\$1) near3 insert\$4) and ((unused or spare or idle ) adj2 (cycle\$1 or slot\$1 or time)) ) and ((idle or stall or void or bubble) near3 (time or slot\$1 or slic\$3 or cycle\$1 or space\$1))) and (instrumentation or debug\$4 or ((consistenc\$\$ or correctn\$3) same check\$4) or verif\$4))) and ((@ad&lt;=20001121 or @rlad&lt;=20001121)) and 717/\$</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 15:27
-	11	(((((((code or instruction\$1) near3 insert\$4) and ((unused or spare or idle) adj2 (cycle\$1 or slot\$1 or time))) and (unused near3 (time or slot\$1 or slic\$3 or cycle\$1 or space\$1))) and (instrumentation or debug\$4 or ((consistenc\$\$ or correctn\$3) same check\$4) or verif\$4)) adn ((((code or instruction\$1) near3 insert\$4) and ((unused or spare or idle) adj2 (cycle\$1 or slot\$1 or time))) and ((idle or stall or void or bubble) near3 (time or slot\$1 or slic\$3 or cycle\$1 or space\$1))) and (instrumentation or debug\$4 or ((consistenc\$\$\$ or correctn\$3) same check\$4) or verif\$4))) and ((@ad<=20001121) or @rlad<=20001121)) and (@ad<=20001121 or @rlad<=20001121)) and referenc\$4) adj2 (instruction or condition or decision))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/24 15:28

-	32	((optimi\$5 near3 (use or manag\$6 or exploit\$5 or control\$5)) same ((dead or	USPAT; US-PGPUB;	2003/06/24 15:30
		unused or idle or spare) adj3 (space or	EPO; JPO;	13.30
		time or slot\$1 or cycle\$1))) and	DERWENT;	
		((@ad<=20001121 or @rlad<=20001121))	IBM TDB	
_	1733	I 1 1	USPAT;	2003/06/25
	1,00	(712/219) or (714/35)).CCLS.	US-PGPUB;	10:11
		(122,223, 02 (123,00),100	EPO; JPO;	
			DERWENT;	<u> </u>
			IBM TDB	
_	0	("(correct\$4near4check\$4)and(instructionsn		120003/61 Obtile or (deaded
		/ (COLLECT' MEAL TOMOCKY 1) and (1115 of doctons)	US-PGPUB;	14:50
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	35	(correct\$4 near4 check\$4 ) and	USPAT;	2003/10/10
_	33	(instructions near4 insert\$5) and (bubble	US-PGPUB;	14:51
				14.51
		or (dead adj2 slot) or (idle adj2 cycle))	EPO; JPO;	
			DERWENT;	
		//	IBM_TDB	2002/10/10
-	34		USPAT;	2003/10/10
		(instructions near4 insert\$5) and (bubble	US-PGPUB;	14:51
		or (dead adj2 slot) or (idle adj2	EPO; JPO;	
		cycle))) and (@ad<=20001121 or	DERWENT;	
		@rlad<=20001121)	IBM_TDB	
=	92		USPAT;	2004/04/05
		instructions) near3 (verif\$6 or checking	US-PGPUB;	13:38
		or instrumentation )) and (correctness or	EPO; JPO;	
		test\$5 or debug\$4 or instrument\$5).ab.	DERWENT;	
			IBM_TDB	
_	829	(@ad<=20001121 or @rlad<=20001121) and	USPAT;	2004/04/06
		((correctness or consistency) near4	US-PGPUB;	13:50
		check\$5).ab.	EPO; JPO;	
	1		DERWENT;	
	1		IBM TDB	
_	267	(((insert\$4 or inlin\$3) near3 ((code or	USPAT;	2004/04/05
_	20/	instructions) near3 (verif\$6 or checking	US-PGPUB;	12:05
			EPO; JPO;	12.03
		or instrumentation )) and (correctness or	DERWENT;	·
		test\$5 or debug\$4 or instrument\$5).ab.) or ((@ad<=20001121 or @rlad<=20001121)	IBM TDB	
			1511_105	
		and ((correctness or consistency) near4		
		check\$5).ab.)) and ((code or instructions		1
		or command) same (verif\$5 or check\$4 or		
		test\$4))	110000	2004/04/05
-	66		USPAT;	2004/04/05
		instructions) near3 (verif\$6 or checking	US-PGPUB;	12:06
		or instrumentation )) and (correctness or	EPO; JPO;	
		test\$5 or debug\$4 or instrument\$5).ab. )	DERWENT;	
		or ((@ad<=20001121 or @rlad<=20001121)	IBM_TDB	
		and ((correctness or consistency) near4	1	
		check\$5).ab.)) and ((code or instructions		
		or command) same (verif\$5 or check\$4 or		
		test\$4))) and ((insert\$4 or inlin\$3)		
		near3 ((code or instructions) near3		
		(verif\$6 or checking or instrumentation		
		)) and (correctness or test\$5 or debug\$4		į į
		or instrument\$5).ab.)		
_	7		USPAT;	2004/04/05
_	1 '	((unused or idle or spare or stall) near2 ((time or instruction) adj slot\$1) ) and	US-PGPUB;	13:33
		1		13.33
		717/\$	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	41	1 ' ' + - ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	USPAT;	2004/04/05
		(slot or frame or container or field)))	US-PGPUB;	13:35
			EPO; JPO;	
			DERWENT;	1
			IBM TDB	]
_	112	((unused or idle or spare or stall) near2	USPAT;	2004/04/05
		((time or instruction) adj slot\$1) ) and	US-PGPUB;	13:37
		(instrumentation or debug\$4 or (checking	EPO; JPO;	
		near4 error))	DERWENT;	1
		HEALT ELLOLII	L .	
			IBM TDB	

-	8	<pre>(((unused or idle or spare or stall) near2 ((time or instruction) adj slot\$1) ) and (instrumentation or debug\$4 or</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/04/05 13:41
		<pre>(checking near4 error))) and ((insert\$4 or inlin\$3) near8 (instrument\$5 or (code or instructions)))</pre>	DERWENT; IBM_TDB	
-	3	717/\$ and (((tabulation or measurement) near3 (instruction or code or program) ) same ( correctness or limit or excee\$5 or violat\$4 or conflict\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/06 12:22
-	116	717/\$ and (((benchmark\$4 or monitor\$4 or parametric or performance) near3 (instruction or code or program) ) same	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/06 13:51
-	54	<pre>( correctness or limit or excee\$5 or violat\$4 or conflict\$4)) (717/\$ and (((benchmark\$4 or monitor\$4 or parametric or performance) near3 (instruction or code or program) ) same</pre>	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/06
		<pre>( correctness or limit or excee\$5 or violat\$4 or conflict\$4))) and (instrument\$4 or (insert\$4 near4 (code or sequence or instruction)))</pre>	DERWENT; IBM_TDB	
-	47	((717/\$ and (((benchmark\$4 or monitor\$4 or parametric or performance) near3 (instruction or code or program) ) same ( correctness or limit or excee\$5 or violat\$4 or conflict\$4))) and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/06 12:26
		<pre>(instrument\$4 or (insert\$4 near4 (code or sequence or instruction))) ) and ( exceed\$4 or conflict\$3 or error or exception or verif\$5 or trap)</pre>	_	
-		<pre>(((717/\$ and (((benchmark\$4 or monitor\$4 or parametric or performance) near3 (instruction or code or program) ) same ( correctness or limit or excee\$5 or violat\$4 or conflict\$4))) and</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 12:29
		<pre>(instrument\$4 or (insert\$4 near4 (code or sequence or instruction))) ) and ( exceed\$4 or conflict\$3 or error or exception or verif\$5 or trap)) and ((low or minimi\$4) near3 intrusion) and</pre>		
-	18	(@ad<=20001121 or @rlad<=20001121) (((717/\$ and (((benchmark\$4 or monitor\$4 or parametric or performance) near3 (instruction or code or program) ) same ( correctness or limit or excee\$5 or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/06 12:33
		<pre>violat\$4 or conflict\$4))) and (instrument\$4 or (insert\$4 near4 (code or sequence or instruction))) ) and ( exceed\$4 or conflict\$3 or error or exception or verif\$5 or trap)) and (execution adj2 time ) and (@ad&lt;=20001121</pre>	IBM_TDB	
-	16	or @rlad<=20001121) ((((717/\$ and (((benchmark\$4 or monitor\$4 or parametric or performance) near3 (instruction or code or program) ) same ( correctness or limit or excee\$5 or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/06 12:34
		violat\$4 or conflict\$4))) and (instrument\$4 or (insert\$4 near4 (code or sequence or instruction)))) and ( exceed\$4 or conflict\$3 or error or exception or verif\$5 or trap)) and (execution adj2 time) and (@ad<=20001121	IBM_TDB	
-	829	or @rlad<=20001121)) and (condition or predicate) (@ad<=20001121 or @rlad<=20001121) and ((correctness or consistency) near4 check\$5).ab.	USPAT; US-PGPUB; EPO; JPO;	2004/04/06 16:59
			DERWENT; IBM TDB	

-	116	, , , , , ,	USPAT;	2004/04/06
		parametric or performance) near3   (instruction or code or program) ) same	US-PGPUB; EPO; JPO;	15:05
		(correctness or limit or excee\$5 or	DERWENT;	
		violat\$4 or conflict\$4))	IBM TDB	
-	194		USPAT;	2004/04/06
1		or function)) and (performance or monitor	US-PGPUB;	15:04
1		or debug or test)	EPO; JPO;	
			DERWENT;	
	0	///	IBM_TDB	2004/04/06
-	"	(((assertion or assert) adj2 (instruction or function)) and (performance or monitor	USPAT; US-PGPUB;	2004/04/06
		or debug or test)) and ((@ad<=20001121 or	EPO; JPO;	14.02
		@rlad<=20001121) and ((correctness or	DERWENT;	
		<pre>consistency) near4 check\$5).ab. )</pre>	IBM TDB	
<b> </b>	0		USPĀT;	2004/04/06
		or function)) and (performance or monitor	US-PGPUB;	14:02
		or debug or test)) and (717/\$ and	EPO; JPO;	
		(((benchmark\$4 or monitor\$4 or parametric	DERWENT;	
		or performance) near3 (instruction or	IBM_TDB	
		code or program) ) same (correctness or limit or excee\$5 or violat\$4 or		
		conflict\$4)))		
-	12	1	USPAT;	2004/04/06
		or function)) and (performance or monitor	US-PGPUB;	14:19
		or debug or test)) and (debug or test or	EPO; JPO;	
		performance) and 717/\$	DERWENT;	
	100	////0 > 00001101 0 1 1 00001101	IBM_TDB	
-	198	((((@ad<=20001121 or @rlad<=20001121) and	USPAT;	2004/04/06
		((correctness or consistency) near4 check\$5).ab. ) or (717/\$ and	US-PGPUB; EPO; JPO;	14:22
		(((benchmark\$4 or monitor\$4 or parametric	DERWENT;	
1		or performance) near3 (instruction or	IBM TDB	
		code or program) ) same (correctness or		
		limit or excee\$5 or violat\$4 or		
		conflict\$4)) )) or (717/\$ and (debug and		
		verify\$4 or test).ab.)) and		
		(@ad<=20001121 or @rlad<=20001121) and		
-	1	((insert\$4 or add\$4) near4 ( code or instruction))		1
_	2	/ ·	USPAT;	2004/04/06
	_	or function)) and (performance or monitor	US-PGPUB;	14:35
İ		or debug or test)) and ((((@ad<=20001121	EPO; JPO;	
		or @rlad<=20001121) and ((correctness or	DERWENT;	
		consistency) near4 check\$5).ab. ) or	IBM_TDB	
	1	(717/\$ and (((benchmark\$4 or monitor\$4 or		
		parametric or performance) near3   (instruction or code or program) ) same		
		(correctness or limit or excee\$5 or		
	]	violat\$4 or conflict\$4)))) or (717/\$ and		
		(debug and verify\$4 or test).ab.)) and		
		(@ad<=20001121 or @rlad<=20001121) and		
		((insert\$4 or add\$4) near4 ( code or		
	]	instruction)))		0004/04/05
-	30	((performance near4 (monitor or	USPAT;	2004/04/06
		evaluation or analysis)) or debug) and (assertion adj2 (statement or command))	US-PGPUB; EPO; JPO;	14:37
		( association adja (seatement of command))	DERWENT;	
			IBM TDB	
_	18	(((performance near4 (monitor or	USPAT;	2004/04/06
		evaluation or analysis)) or debug) and	US-PGPUB;	15:03
		(assertion adj2 (statement or command)))	EPO; JPO;	
		and (@ad<=20001121 or @rlad<=20001121)	DERWENT;	
1_	1.	///norformango noar/ /moritor as	IBM_TDB	2004/04/06
1	10	((((performance near4 (monitor or evaluation or analysis)) or debug) and	USPAT; US-PGPUB;	2004/04/06 15:01
		(assertion adj2 (statement or command)))	EPO; JPO;	13.01
		and (@ad<=20001121 or @rlad<=20001121))	DERWENT;	
		and (717/\$ or 714/\$)	IBM TDB	
			<del></del>	<u> </u>

-	8	<pre>((((performance near4 (monitor or evaluation or analysis)) or debug) and (assertion adj2 (statement or command))) and (@ad&lt;=20001121 or @rlad&lt;=20001121))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/06
		not (((((performance near4 (monitor or evaluation or analysis)) or debug) and (assertion adj2 (statement or command))) and (@ad<=20001121 or @rlad<=20001121)) and (717/\$ or 714/\$))	IBM_TDB	
_	6		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/06 14:51
_	6	((("5778724") or ("6530075") or ("5274813")).PN.) and (@ad<=20001121 or @rlad<=20001121)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/06 15:04
_	23	Heisch.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/06 14:55
-	78379	((threshold or condition or value or predicate) near4 (check\$3 or verif\$4 or assert\$3)) (performance or debug).ab. and (717/\$ or 714/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 15:03
-	127	(((threshold or condition or value or predicate) near4 (check\$3 or verif\$4 or assert\$3)) (performance or debug).ab. and (717/\$ or 714/\$)) and (((@ad<=20001121 or @rlad<=20001121) and ((correctness or consistency) near4 check\$5).ab.) or (717/\$ and (((benchmark\$4 or monitor\$4 or parametric or performance) near3 (instruction or code or program)) same (correctness or limit or excee\$5 or violat\$4 or conflict\$4))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 15:04
_	120	((((threshold or condition or value or predicate) near4 (check\$3 or verif\$4 or assert\$3)) (performance or debug).ab. and (717/\$ or 714/\$)) and (((@ad<=20001121 or @rlad<=20001121) and ((correctness or consistency) near4 check\$5).ab.) or (717/\$ and (((benchmark\$4 or monitor\$4 or parametric or performance) near3 (instruction or code or program)) same (correctness or limit or excee\$5 or violat\$4 or conflict\$4))))) and (@ad<=20001121 or @rlad<=20001121)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 15:04
	0	(((assertion or assert) adj2 (instruction or function)) and (performance or monitor or debug or test)) and ((((threshold or condition or value or predicate) near4 (check\$3 or verif\$4 or assert\$3)) (performance or debug).ab. and (717/\$ or 714/\$)) and ((@ad<=20001121 or @rlad<=20001121) and ((correctness or consistency) near4 check\$5).ab.) or (717/\$ and ((benchmark\$4 or monitor\$4 or parametric or performance) near3 (instruction or code or program)) same (correctness or limit or excee\$5 or violat\$4 or conflict\$4)))) and (@ad<=20001121 or @rlad<=20001121)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06

	46	((((threshold or condition or value or	USPAT;	2004/04/06
		predicate) near4 (check\$3 or verif\$4 or assert\$3)) (performance or debug).ab. and (717/\$ or 714/\$)) and (((@ad<=20001121 or @rlad<=20001121) and ((correctness or consistency) near4 check\$5).ab.) or (717/\$ and (((benchmark\$4 or monitor\$4 or parametric or performance) near3 (instruction or code or program)) same (correctness or limit or excee\$5 or violat\$4 or conflict\$4)))) and (@ad<=20001121 or @rlad<=20001121) and ((benchmark\$4 or monitor\$4 or parametric or performance) near3 (instruction or code or program)) same (correctness or limit or excee\$5 or violat\$4 or conflict\$4))	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	15:05
_	2200	<pre>(instrumentation or hook\$1 or   ((correctness or error ) near2 check\$4)) and ((wasted or spare or unused) near3   (cycle\$1 or slot\$1 or time))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 15:06
	1	((((((threshold or condition or value or predicate) near4 (check\$3 or verif\$4 or assert\$3)) (performance or debug).ab. and (717/\$ or 714/\$)) and (((@ad<=20001121 or @rlad<=20001121) and ((correctness or consistency) near4 check\$5).ab.) or (717/\$ and (((benchmark\$4 or monitor\$4 or parametric or performance) near3 (instruction or code or program)) same (correctness or limit or excee\$5 or violat\$4 or conflict\$4)))) and ((@ad<=20001121 or @rlad<=20001121)) and ((benchmark\$4 or monitor\$4 or parametric or performance) near3 (instruction or code or program)) same (correctness or limit or excee\$5 or violat\$4 or parametric or performance) near3 (instruction or code or program)) same (correctness or limit or excee\$5 or violat\$4 or conflict\$4))) and ((instrumentation or hook\$1 or ((correctness or error) near2 check\$4)) and ((wasted or spare or unused) near3 (cycle\$1 or slot\$1 or time)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06
-	7	("5450586"   "5450588"   "5758061"   "5784553"   "6253317"   "6263302"   "6463582"   "2003/0023834").PN.	USPAT	2004/04/06 16:09
-	2	(("5450586"   "5450588"   "5758061"   "5784553"   "6253317"   "6263302"   "6463582"   "2003/0023834").PN.) and assert\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/06 15:58
-	2768	(Wu and Chen).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/06 15:59
-	0	((Wu and Chen).in.) and (assert\$4 and debug)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/06 15:59
-	3	((Wu and Chen).in.) and (debug)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/06 15:59
-	2	((Wu and Chen).in.) and (test and assert\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/06 16:00

-	10	((((performance near4 (monitor or evaluation or analysis)) or debug) and	USPAT; US-PGPUB;	2004/04/06
		(assertion adj2 (statement or command)))	EPO; JPO;	
		and (@ad<=20001121 or @rlad<=20001121))	DERWENT;	
		and (performance near4 ( check\$4 or	IBM_TDB	
		evaluat\$4 or analysis or measur\$6 or test\$4))		
_	5	(((((performance near4 (monitor or	USPAT;	2004/04/06
		evaluation or analysis)) or debug) and	US-PGPUB;	16:11
		(assertion adj2 (statement or command)))	EPO; JPO;	
		and (@ad<=20001121 or @rlad<=20001121))	DERWENT;	
		and (performance near4 ( check\$4 or	IBM_TDB	
		evaluat\$4 or analysis or measur\$6 or test\$4))) and ((code or instruction)		
1	1	near3 (insert\$5 or add\$4))		
_	7	("5450586"   "5450588"   "5758061"	USPAT	2004/04/06
		"5784553"   "6253317"   "6263302"		16:16
		"6463582"   "2003/0023834").PN.		
-	100570	(performance near4 ( check\$4 or evaluat\$4	USPAT;	2004/04/06
		or analysis or measur\$6 or test\$4))	US-PGPUB; EPO; JPO;	16:59
			DERWENT;	
			IBM TDB	
-	147	(@ad<=20001121 or @rlad<=20001121) and	USPAT;	2004/04/06
	1	((correct\$5 or consisten\$3 or execution)	US-PGPUB;	17:02
		near4 (check\$5 or verif\$5) ) and (714/\$ or 717/\$) and (instrument\$4 same (code or	EPO; JPO; DERWENT;	
		program or instruction))	IBM TDB	
_	42	((performance near4 ( check\$4 or	USPAT;	2004/04/06
		evaluat\$4 or analysis or measur\$6 or	US-PGPUB;	17:03
		test\$4))) and ((@ad<=20001121 or	EPO; JPO;	
		@rlad<=20001121) and ((correct\$5 or	DERWENT;	
		consisten\$3 or execution) near4 (check\$5 or verif\$5) ) and (714/\$ or 717/\$) and	IBM_TDB	
		(instrument\$4 same (code or program or		
		instruction)))	•	
-	26	1 1 1 1	USPAT;	2004/04/07
		evaluat\$4 or analysis or measur\$6 or	US-PGPUB;	09:19
	1	test\$4))) and ((@ad<=20001121 or @rlad<=20001121) and ((correct\$5 or	EPO; JPO; DERWENT;	
		consisten\$3 or execution) near4 (check\$5	IBM TDB	
		or verif\$5) ) and (714/\$ or 717/\$) and		
		(instrument\$4 same (code or program or		
		instruction)))) and (((threshold or		
		condition or value or predicate) near4   (check\$3 or verif\$4 or assert\$3))		
		(performance or debug).ab. and (717/\$ or		
		714/\$))		
-	28	(US-6701518-\$ or US-6463582-\$ or	USPAT;	2004/04/07
1		US-5758061-\$ or US-5450586-\$ or	US-PGPUB	09:19
		US-6671818-\$ or US-6609216-\$ or US-6149318-\$ or US-5987250-\$ or		
		US-5644709-\$ or US-5313616-\$ or		
		US-5787286-\$ or US-5903759-\$ or		
		US-6275929-\$ or US-6564316-\$ or		
		US-6381739-\$ or US-5857104-\$ or		
		US-6088525-\$ or US-5551001-\$ or US-6526421-\$ or US-5911073-\$ or		
İ		US-5768500-\$ or US-6263210-\$ or		
		US-5396496-\$ or US-3940736-\$ or		
		US-5964867-\$ or US-5581696-\$).did. or		
		(US-5265254-\$).did. or		
L	<u></u>	(US-20030088863-\$).did.	1	1

_	15	(performance near4 ( check\$4 or evaluat\$4	USPAT;	2004/04/07
		or analysis or measur\$6 or test\$4)) and	US-PGPUB;	09:20
		((US-6701518-\$ or US-6463582-\$ or	EPO; JPO;	
		US-5758061-\$ or US-5450586-\$ or	DERWENT;	
		US-6671818-\$ or US-6609216-\$ or	IBM TDB	1
		US-6149318-\$ or US-5987250-\$ or	i –	1
		US-5644709-\$ or US-5313616-\$ or	•	
		US-5787286-\$ or US-5903759-\$ or		
	1	US-6275929-\$ or US-6564316-\$ or		
		US-6381739-\$ or US-5857104-\$ or		
	1	US-6088525-\$ or US-5551001-\$ or		1
		US-6526421-\$ or US-5911073-\$ or		
		US-5768500-\$ or US-6263210-\$ or		
		US-5396496-\$ or US-3940736-\$ or		
		US-5964867-\$ or US-5581696-\$).did. or		
İ		(US-5265254-\$).did. or		
1		(US-20030088863-\$).did.)		